Chapter 2

Math 2890-003 Fall 2016 Due Oct 06

Name _____

1. **(1 point)** Let

$$A = \left(\begin{array}{rrr} -5 & -1 & 9 \\ -8 & -1 & 6 \\ -3 & -3 & -2 \\ -4 & -1 & -6 \end{array}\right).$$

Find A^T , the transpose of A.

2. (1 point) Let

$$A = \left(\begin{array}{ccccc} 0 & 5 & -1 & 4 & -6 \\ 5 & 8 & -2 & 3 & -9 \\ -1 & -2 & -9 & 7 & 3 \\ 4 & 3 & 7 & 4 & -1 \\ -6 & -9 & 3 & -1 & 7 \end{array}\right).$$

Is A symmetric? Explain your answer.

Is A orthogonal? Explain your answer.

4. (3 points) For each of the following matrices, find the inverse if it exists. Show your work.

(a)
$$A = \begin{pmatrix} 1 & 1 & 3 \\ -1 & 0 & -3 \\ -6 & -6 & -17 \end{pmatrix}$$
.

(b)
$$B = \begin{pmatrix} 1 & 4 & 7 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{pmatrix}$$
.

(c)
$$C = \begin{pmatrix} 3 & -9 & 1 \\ -5 & 1 & 0 \\ 1 & 0 & 0 \end{pmatrix}$$
.

$$A = \begin{pmatrix} 1 & 4 & 9 \\ 0 & 6 & 4 \\ 7 & 4 & 5 \\ -2 & 4 & 4 \\ -7 & -7 & -1 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 8 & 4 & 6 \\ 1 & -3 & 0 \\ 6 & -5 & 5 \\ -4 & 9 & -4 \\ 8 & -3 & -8 \end{pmatrix}.$$

Compute the sum A+B (showing your work) if it is defined; otherwise, explain why it is not defined.

6. (1 point) Let

$$A = \begin{pmatrix} -6 & -3 & 1\\ 1 & -1 & -6\\ 8 & 1 & 9\\ -7 & -8 & -3 \end{pmatrix} \quad \text{and} \quad v = \begin{pmatrix} 7\\ -3\\ 6 \end{pmatrix}.$$

Compute the product Av (showing your work) if it is defined; otherwise, explain why it is not defined.

$$v = \begin{pmatrix} 4 & -7 & -1 & 2 & 3 \end{pmatrix} \quad \text{and} \quad A = \begin{pmatrix} 0 & -3 & -9 \\ 2 & -1 & 4 \\ 2 & 5 & -1 \\ 4 & 1 & 2 \\ -6 & 7 & 7 \end{pmatrix}.$$

Compute the product vA (showing your work) if it is defined; otherwise, explain why it is not defined.

8. (1 point) Let

$$A = \begin{pmatrix} 9 & -1 \\ 7 & -2 \\ -3 & -7 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} -2 & 8 & -3 & 8 \\ -3 & 7 & -6 & 8 \end{pmatrix}.$$

Compute the product AB (showing your work) if it is defined; otherwise, explain why it is not defined.

- 9. (1 point) Suppose A is a 25×17 matrix and B is a 17×39 matrix. What size is the product AB if it is defined? Explain your answer.
- 10. (1 point) Let

$$A = \begin{pmatrix} 1 & -8 & -4 \\ -3 & 8 & -5 \\ 1 & -4 & 8 \\ 3 & -1 & 5 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} -3 & -4 & 1 & 7 \\ 3 & -8 & -6 & 4 \\ 9 & -6 & -4 & -5 \end{pmatrix}.$$

Compute column 4 of the product AB by first writing it as a linear combination of the columns of A. Show your work.

$$A = \begin{pmatrix} 6 & -7 & 2 & -3 \\ 5 & -8 & 3 & -7 \\ 8 & -8 & 5 & -2 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 8 & 8 & 0 \\ -2 & -9 & -9 \\ -3 & -5 & 7 \\ -9 & 1 & 7 \end{pmatrix}.$$

Compute row 3 of the product AB by first writing it as a linear combination of the rows of B. Show your work.

12. (1 point) Let

$$A = \begin{pmatrix} -7 & -1 & 0 \\ 5 & 4 & -4 \\ -3 & -6 & -2 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 6 & 4 & 9 & 0 & 1 \\ 3 & -9 & 0 & -1 & 4 \\ -5 & 7 & -1 & -9 & 9 \end{pmatrix}.$$

Compute the entry in row 2, column 4 of the product AB. Show your work.

$$A = \begin{pmatrix} -7 & -4 & 6 \\ 9 & -1 & 2 \\ 4 & -4 & 3 \\ 8 & 2 & -9 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 9 & -7 & -5 & 7 \\ -9 & 1 & -6 & 6 \\ -3 & -4 & -7 & -3 \end{pmatrix}.$$

Write the product AB as a sum of 3 rank one matrices. Show your work.

$$A = \left(\begin{array}{cccccc} -4 & 3 & 4 & 0 & 9 & -6 \\ -4 & -1 & 20 & 16 & -3 & -14 \\ 3 & 3 & -24 & -21 & 9 & 15 \\ 1 & -1 & 0 & 1 & -3 & 1 \\ 4 & 5 & -36 & -32 & 15 & 22 \end{array} \right).$$

Find the rank of the matrix A. Explain your answer.

$$A = \begin{pmatrix} 2 & 4 & 0 & -2 \\ 10 & 22 & -5 & -14 \\ 8 & 8 & 15 & 6 \\ 6 & 4 & 20 & 6 \end{pmatrix} L = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 5 & 1 & 0 & 0 \\ 4 & -4 & 1 & 0 \\ 3 & -4 & 0 & 1 \end{pmatrix}$$

$$U = \begin{pmatrix} 2 & 4 & 0 & -2 \\ 0 & 2 & -5 & -4 \\ 0 & 0 & -5 & -2 \\ 0 & 0 & 0 & -4 \end{pmatrix} \text{ and } b = \begin{pmatrix} -8 \\ -60 \\ 24 \\ 88 \end{pmatrix}.$$

Use the LU factorization A=LU to solve the matrix equation Ax=b. Show your work.

$$A = \left(\begin{array}{cccc} 3 & -2 & 0 & 2\\ 15 & -11 & 3 & 15\\ 9 & -8 & 1 & 11\\ 15 & -10 & 10 & 15 \end{array}\right).$$

Use Gaussian Elimination (or Wedderburn rank reduction) to find the LU factorization of the matrix A. Show your work.

$$A = \left(\begin{array}{cccc} 6 & 6 & 6 & -25 \\ 2 & 9 & -3 & -16 \\ 10 & 0 & 15 & -15 \\ 4 & -12 & -6 & -2 \end{array}\right).$$

Use Gaussian Elimination with Partial Pivoting (or Wedderburn rank reduction) to find a permuted LU (or permuted LDU) factorization of the matrix A. Show your work.

$$A = \begin{pmatrix} 1 & -1 & 5 & 0 & -18 \\ -4 & 4 & -19 & -5 & 59 \\ -4 & 4 & -20 & 1 & 74 \\ -1 & 1 & -8 & 12 & 51 \\ 1 & -1 & 4 & 10 & 5 \end{pmatrix} \quad \text{and} \quad v = \begin{pmatrix} -2 \\ 5 \\ 10 \\ 10 \\ 32 \end{pmatrix}.$$

- (a) Is v in the column space of A? Show your work.
- (b) Is v in the null space of A? Show your work.

$$A = \left(\begin{array}{ccccc} 1 & 4 & -4 & -6 & 13 \\ 2 & 0 & 0 & 4 & -6 \\ 2 & -3 & 3 & 10 & -18 \\ -1 & -1 & 1 & 0 & -1 \\ 2 & 2 & -2 & 0 & 2 \end{array}\right).$$

- (a) Find a nonzero vector in the column space of A. Show your work.
- (b) Find a nonzero vector in the null space of A. Show your work.

$$A = \begin{pmatrix} -5 & 5 & 2 & 25 & 18 & -2 \\ -2 & 0 & 2 & 10 & 2 & -1 \\ -2 & -4 & 4 & 8 & -8 & -4 \\ -5 & -3 & 5 & 16 & -1 & 0 \\ 2 & 2 & 0 & 6 & 0 & -2 \end{pmatrix}.$$

Find bases for Col(A) and Nul(A).

Hint: The reduced row echelon form of A is

$$\left(\begin{array}{cccccc} 1 & 0 & 0 & 0 & -2 & 0 \\ 0 & 1 & 0 & 3 & 2 & 0 \\ 0 & 0 & 1 & 5 & -1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{array}\right).$$

$$A = \begin{pmatrix} 58 & -15 & -144 & -204 & 11\\ 101 & -27 & -249 & -357 & -4\\ -45 & 12 & 111 & 159 & 1\\ 15 & -4 & -37 & -53 & 0 \end{pmatrix}.$$

Find bases for Col(A), Nul(A), $Col(A^T)$ and $Nul(A^T)$.

Hint: If you form the matrix (A|I) and use row operations to put the A part in reduced row echelon form you get (R|S) where

$$R = \left(\begin{array}{ccccc} 1 & 0 & -3 & -3 & 0 \\ 0 & 1 & -2 & 2 & 0 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 \end{array}\right), \ S = \left(\begin{array}{ccccc} 1 & 3 & 1 & -21 \\ 4 & 13 & 8 & -79 \\ -1 & -7 & -16 & 3 \\ 1 & 7 & 17 & 0 \end{array}\right).$$